
USER MANUAL

Thank you for choosing Better Bathrooms.
Please read this manual before installing your product
and keep for future reference.

better bathrooms

INSTALLATION INSTRUCTIONS OF GLASS SINKS

TOP-GRADE DESIGN OUTSTANDING QUALITY



Note:Image may differ from actual product design.

- **Single-person assembly**
- **We always recommend using a professional plumber to install your product**

V1-01/07/2026

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:

log in to your account and contact our customer services team via your self-serve portal -betterbathrooms.com/CustomerAccount/Login

contact us via betterbathrooms.com/content/contact-us

Important information

Please read these instructions thoroughly and retain for future reference
Always check for pipes and cables before drilling

Component including

1. Sink
2. Strainer(s)


* Please cut the mounting hole according to the method mentioned in below instructions.

Installation Instructions

1. Glass sink overall size / Cut-out size


A. Length of sink
B. Width of sink
C. Length of Cut-out size
D. Width of Cut-out size

A	B	C	D
860	500	830	470
1000	500	970	470
1160	500	1130	470




2. Using a pencil draw the cutting line as per the Cut-out size recommended.


Using a padsaw, jigsaw or similar, cut out the cutting hole along the cutting line.




3. Assemble and fit waste system to sink.



4. Apply silicone waterproof sealant or a similar material(not supplied) to the underside of the sink rim.



5. Place the sink in the cutting hole and position the sink in place.
Remove any surplus sealing material or wipe away any excess sealant.



After Care

For routine cleaning of the sink, pls always use a soft cloth.
Always remove wet cleaning aids (cloths, containers, etc.) from the sink surface after use to avoid the formation of water marks and rust stains.
After use wipe the drainer and bowl with a soft damp soapy cloth and rinse with clean water.

Warning!

*Do not use wire wool pads.
*Do not use household products containing acid, alkali, caustic,chlorine, bleach etc.
*Do not use abrasive cleaning products as these may scratch thesurface of the sink.
*Do not cut on or drag objects across the sink.
*Do not drop heavy objects onto the sink.

Maintenance, Care & Cleaning

By following these maintenance tips, you can maintain the finish of your Coloured stainless steel sink for longer:

• Scratching on the surface of sinks occurs as a result of normal use over time. Scratches cannot be removed, but they will fade in appearance over time. Cleaning on a regular basis is the best form of maintenance. Cleaning a little bit on a regular basis is preferable to cleaning a lot on a sporadic basis.

• The best way to prevent future problems is to keep the sink clean and dry. After each use, rinse and towel dry the sink to avoid major cleaning and to keep it shiny and free of water spots.

• Make sure there's no standing water in the sink, as this can lead to mineral deposits. The appearance of your sink can be affected by the quality of your water, which varies from household to household.

• When cleaning your sink, choose the gentlest method that will get the job done. When using household cleaners such as detergents or bleaches, use extreme caution.

• Use cleaning products specifically designed for stainless steel and follow the manufacturer's instructions to treat grime and mineral deposits that may accumulate over time.

• To avoid water spotting, always rinse the sink after using a cleaning agent and wipe it dry.

• Do not clean your sink or any utensils in the sink with metallic scouring pads or steel wool pads. They will not only scratch the sink, but will also leave a residue of small iron particles on the surface, which may or may not be visible, but will almost certainly cause rusting and corrosion.

• Do not leave any cast iron or mild steel cookware or implements in the sink for long periods of time. Surface corrosion and sink staining are caused by the presence of iron and moisture in stainless steel.

• Never leave wet sponges or cleaning pads in the sink overnight because they will trap water and stain or discolour the sink surface. Stainless steel's unique properties are determined by how much of the surface is exposed to the atmosphere.

• We do not recommend using chlorine bleach in your stainless-steel sink because chlorine will eat away at the protective layer that keeps stainless steel from rusting. Drain cleaners that contain sulphuric or hydrochloric acid will attack the sink as well.

• In extreme cases, repeatedly pouring boiling hot water into coloured sinks can cause crazing and cracking. As a result, we advise caution when releasing hot water directly onto the sink surface for long periods of time.

For more information

- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

better bathrooms

Part of the BuyItDirect Group