USER MANUAL

Thank you for choosing Better Bathrooms.
Please read this manual before installing your product
and keep for future reference.

better bathrooms



Product Name:

1200 x 700 Alton Single Ended Round Bath ALT1200
1400 x 700 Alton Single Ended Round Bath ALT1400
1500 x 700 Alton Single Ended Round Bath ALT1500
1600 x 700 Alton Single Ended Round Bath ALT1600
1700 x 700 Alton Single Ended Round Bath ALT1700
1800 x 800 Alton Single Ended Round Bath ALT1800
1700 x 700 Burford Double Ended Round Bath BUR1700
1800 x 800 Burford Double Ended Round Bath BUR1800
1500 x 700 Rutland Single Ended Square Bath RUT1500
1600 x 700 Rutland Single Ended Square Bath RUT1600
1700 x 700 Rutland Single Ended Square Bath RUT1700
1700 x 750 Rutland Single Ended Square Bath RUT1700X750
1800 x 800 Rutland Single Ended Square Bath RUT1800
1700 x 700 Chiltern Double Ended Square Bath CHIL1700
1800 x 800 Chiltern Double Ended Square Bath CHIL1800
1500 x 750mm Cotswold Single Ended Wide End Shower Bath COTSW1500
1600 x 750mm Cotswold Single Ended Wide End Shower Bath COTSW1600
1700 x 750mm Cotswold Single Ended Wide End Shower Bath COTSW1700
1500 x 850 L Shaped Shower Bath Right Hand LOM1500RH
1500 x 850 L Shaped Shower Bath Left Hand LOM1500LH
1700 x 850 L Shaped Shower Bath Left Hand LOM1700LH
1700 x 850 L Shaped Shower Bath Right Hand LOM1700RH
1700 x 700 Hadley Single Ended Round Bath- Excl Grips HAD1700
1700 x 700 Kendal Single Ended Round Shallow Bath KEN1700

- **Two-person assembly**
- **Tools required**
- **We always recommend using professional tradespeople to install your product**

V6_09.10.2026

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:

- log in to your account and contact our customer services team via your self-serve portal – betterbathrooms.com/CustomerAccount/Login
- contact us via betterbathrooms.com/content/contact-us

Important information

- Please read these instructions thoroughly and retain for future reference
- Always check for pipes and cables before drilling

Receive Your Bath

Unpack and check for damage.

After receiving your bath, please unpack and remove all covering, checking whether there is any damage. Repack the bath if it is not being immediately installed. It will be rejected any claim for damage if not notified in a timely manner.

Protect your bath.


Before commencing and installation, ensure the bath is completely protected, leave covering in place until the bathroom is complete. Scratches and damage incurred during installation are not covered by the warranty.

Protective Film


The bath and bath panels are protected with a protective film.
Remove the protective film carefully before installation.
Ensure that all protective film is removed before the bath is put into use.

Standard Leg Sets / Large Leg Sets


sets includes:



Component Listing



Bath




Instruction manual

Tools Required

Tools for installation (not supplied)


Pencil



Screw driver




Wrench




Silicone Gun



Spirit level



Electric drill




Tape measure

Safety Notice:


Prior to drilling into walls, check there are no hidden electrical wires, cables or water supply pipes. Always wear protective equipment such as safety glasses and hearing protection whilst using power tools.

Bathtub Installation


A




B





C





Place the bath against the unfinished wall, then tile or board down onto the bath ledge. Next fill the bath and silicone the join between the bath and the tile and leave to cure, then empty the bath once cured.


























Bath Panel Installation


1






2










Please cut the side panel to the required size, ensuring the cut is directed towards the wall.

3






4



5



Maintenance & Cleaning

①To preserve the polished surface, after using your bath, clean with soft cloth and warm soapy water to wash away any body oils or soap residue that forms a ring tide mark.

②Do not use powders, pastes, crème cleaners, thinners, window cleaning sprays or dry cleaning liquid, etc.

③When coloured essentials oils are used, first test that the colour won't stain your bath. Always add oils into a bath full of water. Never pour them into an empty bath.

Water testing

Fill the bath with water **before sealing** to ensure the bath is correctly positioned and supported under load.
Water test your bath prior to enclosing to ensure it drains correctly, as no claims for non-draining baths will be valid after enclosing or tiling has been done.
Water test the overflow pipe and waste to ensure they are not leaking.

Bath's Max bear load – 200kg